

For more information please click on Part No,

Part No.	Maximum	Output Voltage	Max. Output	Typical Current	Tolerance	Package			
	Input Voltage		Current (mA)	Consumption ( $\mu$ A)					
<a href="#">HT1015-1</a>	12V	1.5V	18	2.2	$\pm 3\%$	TO92, SOT23-5, SOT89			
<a href="#">HT71xx-1</a>	24V	2.1V/2.3V/2.5V/2.7V/	30	2.5	$\pm 3\%$	TO92, SOT23-5, SOT89			
		3.0V/3.3V/3.6V/							
		4.4V/5.0V							
<a href="#">HT71xx-2</a>	30V	2.1V/2.3V/2.5V/2.7V/	30	2.5	$\pm 1\%$	TO92, SOT23-5, SOT89			
		3.0V/3.3V/3.6V/							
		4.4V/5.0V							
<a href="#">HT71xx-3</a>	30V	2.1V/2.3V/2.5V/2.7V/	30	1	$\pm 2\%$	TO92, SOT23-5, SOT89			
		3.0V/3.3V/3.6V/							
		4.4V/5.0V							
<a href="#">HT75xx-1</a>	24V	2.1V/2.3V/2.5V/2.7V/	100	2.5	$\pm 3\%$	TO92, SOT23-5, SOT89			
		3.0V/3.3V/3.6V/							
		4.0V/4.4V							
		5.0V/6.0V/7.0V/	150						
		8.0V/9.0V/10.0V/12.0V							
		4.15V							
<a href="#">HT75xx-2</a>	24V	2.1V/2.3V/2.5V/2.7V/	100	2.5	$\pm 1\%$	SOT23-5			
		3.0V/3.3V/3.6V/							
		4.0V/4.4V							
		5.0V/6.0V/7.0V/8.0V/	150						
		9.0V/10.0V/12.0V							
		4.15V							
<a href="#">HT75xx-3</a>	30V	2.1V/2.3V/2.5V/2.7V/	100	1	$\pm 2\%$	TO92, SOT23-5, SOT89			
		3.0V/3.3V/3.6V/							
		4.0V/4.4V							
		5.0V/6.0V/7.0V/8.0V/	150						
		9.0V/10.0V/12.0V							
		4.15V							
<a href="#">HT73XX</a>	12V	1.8V	150	3.5	$\pm 3\%$	TO92, SOT89			
		2.5V	180						
		2.7V	200						
		3.0V/3.3V/3.5V/5.0V	250						
		1.8V/2.5V/2.7V/3.0V/	300			TO92, SOT23-5, SOT89			
		3.3V/5.0V							
<a href="#">HT72XX</a>	8V	1.8V/2.5V/2.7V/	500	4	$\pm 2\%$	TO92, SOT23-5, SOT89			
		3.0V/3.3V/5.0V							
<a href="#">HT78XX</a>	8V	1.8V/2.5V/2.7V/	500	4	$\pm 2\%$	TO92, SOT23-5, SOT89			
		3.0V/3.3V/5.0V							

Note: The XX in the part number is the LDO output voltage.

For more information please click on Part No,

For more information please click on Part No,